

Appl. No. 09/717,841  
Amdt. dated March 31, 2003  
Reply to Office action of Jan. 29, 2003

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

---

Claim 1 (original): In a data acquisition system, a hand-held data processing assembly, comprising:

(a) a base unit of size to be held in one hand during data acquisition;

and

(b) indicia reader module means, assembled with said base unit, containing a reflected light indicia reader for non-contact essentially instantaneous reading of bar codes or the like disposed in spaced non-contacting relationship to the assembly.

Claim 2 (original): A data acquisition system according to claim 1, wherein said base unit comprises a light source for generating a light beam, the hand-held data processing assembly being orientable for directing a light beam from said light source toward the bar code or the like to be read.

Claim 3 (canceled)

Claim 4 (original): A data acquisition system according to claim 1, wherein said base unit further comprises a battery for providing electrical power to the hand-held data processing assembly.

Claims 5-15 (canceled)

Appl. No. 09/717,841  
Amdt. dated March 31, 2003  
Reply to Office action of Jan. 29, 2003

Claim 16 (previously added): A data processing system, comprising:

- (a) a data processing assembly including an interface unit; and
- (b) a detachable reader unit detachably assembled with said interface unit;
- (c) said detachable reader unit comprising a non-contact data reader to read data disposed in non-contacting relationship to said reader unit.

C1 Claim 17 (previously added): The data processing system according to claim 16, wherein said interface unit comprises a display and a manual data input.

Claim 18 (previously added): The data processing system according to claim 16, wherein said non-contact data reader comprises an optical indicia reader.

Claim 19 (previously added): The data processing system according to claim 18, wherein said optical indicia reader comprises a bar code scanner.

Appl. No. 09/717,841  
Amdt. dated March 31, 2003  
Reply to Office action of Jan. 29, 2003

Claim 20 (previously added): The data processing system according to claim 16, further comprising:

a detachable reader unit receiving recess, formed into said interface unit, said detachable reader unit receiving recess comprising an open side; and

a reading window, located on a reading side of said detachable reader unit, capable of permitting reflected light energy to enter said detachable reader unit;

wherein said interface unit and said detachable reader unit cooperate such that said reading side substantially closes said open side when said interface unit and said detachable reader unit are coupled together.

Claim 21 (previously added): The data processing system according to claim 20, wherein said detachable reader unit is a user-detachable reader unit.

Claim 22 (previously added): The data processing system according to claim 16, wherein said interface unit further comprises a processor component.

Claim 23 (previously added): A data processing system comprising a data processing assembly, comprising:

- (a) a base unit having a recess; and
- (b) a detachable reader unit detachably assembled with said base unit;
- (c) said detachable reader unit comprising a non-contact data reader to read data disposed in non-contacting relationship to said reader unit;
- (d) wherein the detachable reader unit is mounted in the recess of the base unit.

Appl. No. 09/717,841  
Amdt. dated March 31, 2003  
Reply to Office action of Jan. 29, 2003

Claim 24 (previously added): The data processing system according to claim 23, wherein said base unit comprises a display and a manual data input.

Claim 25 (previously added): The data processing system according to claim 23, wherein said non-contact data reader comprises an optical indicia reader.

Claim 26 (previously added): The data processing system according to claim 25, wherein said optical indicia reader comprises a bar code scanner.

C1  
Claim 27 (previously added): The data processing system according to claim 23, further comprising:

a reading window, located on a reading side of said detachable reader unit,  
capable of permitting reflected light energy to enter said detachable reader unit;

wherein said recess comprises an open side, and wherein said base unit and said detachable reader unit cooperate such that said reading side substantially closes said open side when said base unit and said detachable reader unit are coupled together.

Claim 28 (previously added): The data processing system according to claim 27, wherein said detachable reader unit is a user-detachable reader unit.

Claim 29 (previously added): The data processing system according to claim 23, wherein said base unit further comprises a processor component.

Appl. No. 09/717,841  
Amdt. dated March 31, 2003  
Reply to Office action of Jan. 29, 2003

Claim 30 (previously added): A data processing system comprising a data processing assembly, comprising:

- C
- (a) a base unit; and
  - (b) a detachable reader unit detachably assembled with said base unit;
  - (c) said detachable reader unit comprising a non-contact data reader to read data disposed in non-contacting relationship to said reader unit;
  - (d) wherein the detachable reader unit has an edge that contains a scanner window for receiving a reflected bar code image.

Claim 31 (previously added): The data processing system according to claim 30, wherein said base unit comprises a display and a manual data input.

Claim 32 (previously added): The data processing system according to claim 30, wherein said non-contact data reader comprises an optical indicia reader.

Claim 33 (previously added): The data processing system according to claim 32, wherein said optical indicia reader comprises a bar code scanner.

Appl. No. 09/717,841  
Amdt. dated March 31, 2003  
Reply to Office action of Jan. 29, 2003

Claim 34 (previously added): The data processing system according to claim 30, further comprising:

a reader unit receiving recess, formed into said base unit, said reader unit receiving recess comprising a open side;

C wherein said base unit and said detachable reader unit cooperate such that said edge substantially closes said open side when said base unit and said detachable reader unit are coupled together.

Claim 35 (previously added): The data processing system according to claim 34, wherein said detachable reader unit is a user-detachable reader unit.

Claim 36 (previously added): The data processing system according to claim 30, wherein said base unit further comprises a processor component.

Appl. No. 09/717,841  
Amdt. dated March 31, 2003  
Reply to Office action of Jan. 29, 2003

Claim 37 (previously added): A data gathering system, comprising:

a user-supportable reader module receiving unit, comprising a reader module receiving recess, said reader module receiving recess comprising a first open side;

a detachable non-contact reader module capable of being coupled with said user-supportable reader module receiving unit via said reader module receiving recess, said detachable non-contact reader module being capable of reading data disposed in non-contacting relationship to said detachable non-contact reader module; and

a reading window, located on a reading side of said detachable non-contact reader module, capable of permitting reflected light energy to enter said detachable non-contact reader module;

wherein said user-supportable reader module receiving unit and said detachable non-contact reader module cooperate such that said reading side substantially closes said first open side when said user-supportable reader module receiving unit and said detachable non-contact reader module are coupled together.

Claim 38 (previously added): The data gathering system of claim 37, wherein said detachable non-contact reader module comprises a housing having five sides in addition to said reading side and wherein said user-supportable reader module receiving unit comprises a second open side located adjacent to said first open side and wherein said second open side is also substantially closed when said user-supportable reader module receiving unit and said detachable non-contact reader module are coupled together.

Appl. No. 09/717,841  
Amdt. dated March 31, 2003  
Reply to Office action of Jan. 29, 2003

Claim 39 (previously added): The data gathering system of claim 38, wherein said detachable non-contact reader module is in generally the shape of a rectangular prism and wherein said reader module receiving recess is in generally the shape of a rectangular prism.

Claim 40 (previously added): The data gathering system of claim 37, wherein said detachable non-contact reader module is a user-detachable module.

CI  
END  
Claim 41 (previously added): The data gathering system of claim 37, wherein said user-supportable reader module receiving unit further comprises a processor component.

Claim 42 (previously added): The data gathering system of claim 41, wherein said user-supportable reader module receiving unit further comprises a battery.

Claim 43 (previously added): The data gathering system of claim 37, wherein said detachable non-contact reader module comprises an optical indicia reader.

Claim 44 (previously added): The data gathering system of claim 43, wherein said detachable non-contact reader module comprises a bar code scanner.

---